UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/522,575	01/28/2005	Tomoyuki Tanaka	50070-098	8794
20277 7590 02/26/2009 MCDERMOTT WILL & EMERY LLP				IINER
600 13TH STREET, N.W. WASHINGTON, DC 20005-3096			NOLAND, THOMAS	
WASHINGTO	N, DC 20005-3096		ART UNIT	PAPER NUMBER
			2856	
			MAIL DATE	DELIVERY MODE
			02/26/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/522,575	TANAKA ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Thomas P. Noland	2856	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED ir or other appropriate commu IGHTS. This application is s and MPEP 1308.	n this application. If not included unication will be mailed in due course	
2. \(\sum \) The allowed claim(s) is/are 1 and 4-7.			
3. ☑ Acknowledgment is made of a claim for foreign priority ur a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☑ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN	e been received. e been received in Application cuments have been received of this communication to file	n No d in this national stage application fro	
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must 	es reason(s) why the oath or		E OF
(a) \square including changes required by the Notice of Draftspers	son's Patent Drawing Reviev	v (PTO-948) attached	
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
 (b) ☑ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t DEPOSIT OF and/or INFORMATION about the depoattached Examiner's comment regarding REQUIREMENT 	.84(c)) should be written on the header according to 37 CF sit of BIOLOGICAL MATE	ne drawings in the front (not the back) R 1.121(d). ERIAL must be submitted. Note th	
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 20050128 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview S Paper No./ 7. ☒ Examiner's	formal Patent Application ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowance	e

Application/Control Number: 10/522,575 Page 2

Art Unit: 2856

EXAMINER'S AMENDMENT

1. The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should have its Art Unit designated as Art Unit 2856.

- 2. The amendment filed Dec. 15, 2008 has been entered.
- 3. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: In the corrected drawings filed Dec. 15, 2008, which were otherwise acceptable, in Fig. 4 thereof on its left side a second reference designation - 21b - is to be added and a leading line therefrom to the plate portion opposite to the plate portion 21b on the right is also to be added. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 4. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In the specification on page 7, line 9 " 21 " has been replaced with - - - 21a - - -.

In claim 5, lines 2-5 " such a . . . said cover " has been replaced with - - - a face plate of said cover, from which said liquid level detection unit and a portion of said fixing portion project in a direction normal thereto - - -.

In line 3 of each of claims 6 and 7 "the" has been replaced with - - - an - - -.

Application/Control Number: 10/522,575 Page 3

Art Unit: 2856

5. The above changes were made to better comply with 37 CFR 1.84 and 35 U.S.C.

112(2).

6. Authorization for this examiner's amendment was given in a telephone interview

with Applicant's representative Mr. Stephen A. Becker on Feb. 24, 2009.

7. Claims 1 and 4-7 have been allowed.

8. The previous examiner of this application, Mr. Cygan, has changed jobs within

the office. Therefore:

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tom Noland whose telephone number is (571) 272-2202. The examiner can normally be reached on weekdays from 9:00 to 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Hezron E. Williams, can be reached on (571) 272-2208.

The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to 2800 Customer Service at (571) 272-2815.

/Thomas P. Noland/ Primary Examiner Art Unit 2856

Feb. 24, 2009